



KOMMA

SWISS TOOL SELECTION GUIDE




TORNOS SWISS TOOLING

GAMMA20 TOOLING FOR GANG TOOL POST




TSS161000
Cross drilling/milling unit

RATIO 1: 1
RPM(MAX) 8000
TOOL CLAMPING ER16M



TSS562000
2 spindle drilling/milling unit


RATIO 1: 1
RPM(MAX) 8000
TOOL CLAMPING
Front side : ER16M
Back side : ER11A



TSS562100
2 spindle drilling/milling unit


RATIO 1: 1
RPM(MAX) 8000
TOOL CLAMPING
Front side : ER16M
Back side : ER11A
ANGLE ADJUSTMENT 0~90°

DELTA38 TOOLING FOR GANG TOOL POST



TSB246100
Cross drilling/milling unit

RATIO 1: 1
RPM(MAX) 6000
TOOL CLAMPING ER16A
TSUGAMI ITEM NO. 3268-T051




TSB546200
2 spindle drilling/milling unit

RATIO 1: 1
RPM(MAX) 6000
TOOL CLAMPING ER16M
TSUGAMI ITEM NO. 3282-Y901


TORNOS SWISS TOOLING

GAMMA20 TOOLING FOR BACK TOOL POST




TSS761000
Drilling/milling unit

RATIO 1:1
RPM(MAX) 8000
TOOL CLAMPING ER16M




TSS601000
Tool adaptor

TOOL SHANK Ø35.0mm
SLEEVE SHANK Ø20.0mm




TSS620100
Turning tool holder

TOOL SHANK Ø35.0mm
BITE HOLDER SHANK 12x12mm



TSS620100-1
Turning tool holder


TOOL SHANK Ø35.0mm
BITE HOLDER SHANK 10x10mm



TSS861000
Slotting(Cross drilling/milling) unit


RATIO 1:1
RPM(MAX) 6000
TOOL CLAMPING ER16M

DELTA38 TOOLING FOR BACK TOOL POST



TSB746100
Drilling/milling unit

RATIO 1:1
RPM(MAX) 6000
TOOL CLAMPING ER16A
TSUGAMI ITEM NO. 3282-Y041



TSB640100
Tool adaptor

TOOL SHANK Ø42.0mm
SLEEVE SHANK Ø25.0mm
TSUGAMI ITEM NO. 3282-Y211

Tel: 1.800.249.5662
Fax: 860.623.4132

info@komaprecision.com
www.komaprecision.com

20 Thompson Road
East Windsor, CT 06088

