KOMA PRECISION
THE KEY TO PERFORMANCE
www.komaprecision.com

INBIS

SWISS TOOLS Selection Guide 2022

WE FOCUS ON BEING THE BEST–
that's why leading companies choose Koma.

WE ARE THE EXCLUSIVE NORTH AMERICAN IMPORTER, NATIONAL DISTRIBUTOR, AND SERVICE CENTER FOR INBIS SWISS TOOLS.

star

TOOLING FOR GANG TOOL POST
(SHANK Ø34mm)



STR140300
3 tool sleeve holder

TOOL SHANK Ø34mm
DRILL SLEEVE SHANK Ø22 mm
Mounted on T3500
MACHINE: SR20R / SR32J



STR161000
Cross drilling/milling unit

RATIO 1:1
RPM(MAX) 8000
TOOL CLAMPING ER16M
STAR ITEM NO. 331-50
MACHINE: SR20R / SR32J

STR161100
Cross drilling/milling unit

RATIO 3:1
RPM(MAX) 18000
TOOL CLAMPING ER11A
MACHINE: SR20R / SR32J



STR150100
Polygon unit

RATIO 1:0.6
RPM(MAX) 3000
CUTTER OD(MAX) Ø95 mm
MACHINE: SR20R / SR32J

STR162100
Cross drilling/milling unit

RATIO 1:1
RPM(MAX) 8000
TOOL CLAMPING ER20M
MACHINE: SR20R / SR32J

STR166100
Cross drilling/milling unit

RATIO 1:1
RPM(MAX) 8000
TOOL CLAMPING ER16M
STAR ITEM NO. 571-55
MACHINE: SR20R / SR32J



STR260100
Thread whirling unit

RATIO 1 : 1
RPM(MAX) 6000
THREAD(MAX) M12
HELIX ANGLE ±20°
MACHINE: SR20R



STR301000
Slotting unit

RATIO 1 : 0.374
RPM(MAX) 4000
SAW OD(MAX) Ø70 mm
SAW ARBOR SHANK Ø12.7 mm
MACHINE: SR20R

KOMA PRECISION
THE KEY TO PERFORMANCE

TOOLING FOR GANG TOOL POST
(SHANK Ø34mm)



STR446200
2 spindle drilling/milling unit

RATIO 1 : 1
RPM(MAX) 6000
TOOL CLAMPING ER16M
STAR ITEM NO. 541-51
MACHINE: SR20R



STR446300 / STR446300-1
3 spindle drilling/milling unit

RATIO 1 : 1
RPM(MAX) 6000
TOOL CLAMPING ER16M
STAR ITEM NO. STR446300 : 661-51
MACHINE: SR20R / SR32J



STR496200
2 spindle drilling/milling unit

RATIO 1 : 1
RPM(MAX) 6000
TOOL CLAMPING ER16M
ANGLE ADJUSTMENT 0~90°
MACHINE: SR20R



STR496200-2
2 spindle drilling/milling unit

RATIO 1 : 1
RPM(MAX) 6000
TOOL CLAMPING ER16M
ANGLE ADJUSTMENT ±180°
MACHINE: SR32J



STR496300
3 spindle drilling/milling unit

RATIO 1 : 1
RPM(MAX) 6000
TOOL CLAMPING ER16M
ANGLE ADJUSTMENT 0~90°
MACHINE: SR20R



STR496300-2
3 spindle drilling/milling unit

RATIO 1 : 1
RPM(MAX) 6000
TOOL CLAMPING ER16M
ANGLE ADJUSTMENT ±180°
MACHINE: SR20R



STR546300 / STR546300-1
3 spindle drilling/milling unit

RATIO 1 : 1
RPM(MAX) 6000
TOOL CLAMPING
Front side : ER16M
Back side : ER11M
STAR ITEM NO. STR546300-1 : 671-59
MACHINE: SR20R



STR596300
3 spindle drilling/milling unit

RATIO 1 : 1
RPM(MAX) 6000
TOOL CLAMPING
Front Side: ER16M
Back Side: ER11
ANGLE ADJUSTMENT 0~90°
MACHINE: SR20R

TOOLING FOR BACK TOOL POST
(SHANK Ø16/Ø22mm)



STJ640100
Extension tool holder

TOOL SHANK Ø22.0mm
TOOL CLAMPING ER16M
DRILL SLEEVE SHANK Ø16.0mm
MACHINE SR20J



STJ640200
Extension tool holder

TOOL SHANK Ø22.0mm
TOOL CLAMPING ER16M
DRILL SLEEVE SHANK Ø16.0mm
MACHINE SR32J / JN



KDA22010SG
Turning tool holder

TOOL SHANK Ø22.0mm
BITE HOLDER SHANK 10x10mm
MACHINE: SR20R / SR20J / SR32J



STR620100
Turning tool holder

TOOL SHANK Ø22.0mm
BITE HOLDER SHANK Ø12.0mm
MACHINE: SR20R / SR20J / SR32J



STR601000
Air tool holder

TOOL SHANK Ø22.0mm
AIR TOOL SHANK Ø20.0mm
MACHINE: SR20R



STR641100
Drill sleeve

TOOL SHANK Ø22.0mm
TOOL CLAMPING ER11M
MACHINE: SR20J



STR641100J
Drill sleeve

TOOL SHANK Ø16.0mm
TOOL CLAMPING ER11M
MACHINE SR10J



STR646100
Drill sleeve

TOOL SHANK Ø22.0mm
TOOL CLAMPING ER16M
MACHINE: SR20R / SR32J

TOOLING FOR BACK TOOL POST
(SHANK Ø22mm)



STR642100
Drill sleeve

TOOL SHANK Ø22.0mm
TOOL CLAMPING ER20M
MACHINE: SR20R / SR32J



STR642100-1
Drill sleeve (Internal coolant type)

TOOL SHANK Ø22.0mm
TOOL CLAMPING ER20M
MACHINE: SR20R



KSR22000
Boring bar sleeve

TOOL SHANK Ø22.0mm
BORING BAR SHANK
Ø3.0/4.0/5.0/6.0/8.0/10.0/12.0/16.0mm
MACHINE: SR20R



KSR22120
Boring bar sleeve (Bushing type)

TOOL SHANK Ø22.0mm
BUSHING OD Ø12.0mm
BUSHING ID (BORING BAR SHANK) /
Ø3.0/4.0/5.0/ 6.0/8.0/9.0/10.0mm
MACHINE: SR20R

TOOLING FOR BACK TOOL POST
(SHANK Ø22mm)



STR711000
Drilling/milling unit

RATIO 1 : 1
RPM(MAX) 6000
TOOL CLAMPING ER11M
STAR ITEM NO. 541-61
MACHINE: SR20R



STR761000
Drilling/milling unit

RATIO 1 : 1
RPM(MAX) 6000
TOOL CLAMPING ER16M
STAR ITEM NO. 571-61
MACHINE: SR20R

STR761200
Drilling/milling unit

RATIO 3 : 1
RPM(MAX) 18000
TOOL CLAMPING ER11/ER11M
MACHINE: SR20R/ECAS12/
ECAS20



STR731000
Slotting unit

RATIO 1 : 0.55
RPM(MAX) 4000
SAW OD(MAX) Ø50
SAW ARBOR SHANK
Ø5.0/6.0/8.0/12.7/13.0mm
MACHINE: SR10J / SR20R



STR731100
Slotting unit

RATIO 1 : 0.55
RPM(MAX) 4000
TOOL CLAMPING ER11A
MACHINE: SR10J / SR20R



STR714000
Cross drilling/milling and face drilling/milling unit

RATIO 1 : 1
RPM(MAX) 6000
TOOL CLAMPING ER8M
MACHINE SR10J



STR741300
3 spindle drilling/milling unit

RATIO 1 : 1
RPM(MAX) 8000
TOOL CLAMPING ER11M
MACHINE NEW TYPE SR20RIII
SR20J with PIN HOLE
(FANUC 31i VERSION)



STR811000-10J/
STR811000-20R
Cross drilling/milling unit

RATIO 1 : 1
RPM(MAX) 6000
TOOL CLAMPING ER11
MACHINE: SR 10J / SR20R



STR861100
Cross drilling/milling unit

RATIO 1 : 1
RPM(MAX) 8000
TOOL CLAMPING ER11M
MACHINE: SR20J/SB20R

TOOLING FOR GANG TOOL POST
SB16/SB20



STB268400
4 spindle cross drilling/milling unit

RATIO 1 : 1.5
RPM(MAX) 3000
TOOL CLAMPING ER8M
MACHINE: SB 16/20



STB301000
Slotting unit

RATIO 1 : 0.392
RPM(MAX) 4000
SAW OD(MAX) Ø30
SAW ARBOR SHANK Ø6.0mm

STB401000
Air tool holder

TOOL SHANK Ø22.0mm
AIR TOOL SHANK Ø23.0mm
MACHINE: SB16R / SB20R

TOOLING FOR TURRET TOOL POST
(SHANK Ø44mm)



STV161200
2 spindle cross drilling/milling unit

RATIO 1 : 1
RPM(MAX) 6000
TOOL CLAMPING ER16A
STAR ITEM NO. 421-51
MACHINE: SV20 / SV32



STV512000
2 spindle drilling/milling unit

RATIO 1 : 1.16
RPM(MAX) 6000
TOOL CLAMPING ER11M
STAR ITEM NO. 421-59
MACHINE: SV20 / SV32

STV10302000
Cross drilling/milling unit

RATIO 1 : 1
RPM(MAX) 6000
TOOL CLAMPING ER20A
MACHINE: STAR SV32/ECAS32T/ST38



STV901000
Turning bite holder

TOOL SHANK Ø44.0mm
BITE HOLDER SHANK 16x16mm
CENTER ADJUSTMENT ±1mm
MACHINE: SV32J



STV140100
1 station boring bar holder

TOOL SHANK Ø44.0mm
BORING BAR SHANK Ø32.0mm
MACHINE: SV20 / SV32 (Mounted on Turret)

UNLOCK YOUR POTENTIAL TODAY!

For Over 40 years Koma Precision Inc. has partnered with Tsudakoma and Alberti, to become the North American leader in machine tool accessories. Both Tsudakoma and Alberti machine tool accessories are built to the highest standards and set the bar for excellence, quality, and performance.

Koma Precision has an installation base of over 30,000 Tsudakoma rotary tables and 25,000 Alberti angle heads and live tools, leading the way with knowledge and experience.

Knowledge and Experience Matter.

Our three facilities totaling 40,000 sq/ft, feature a full machine shop, state-of-the-art inspection and test equipment, and product demonstration showroom. Our Connecticut based headquarters also houses our multi-million-dollar inventory of new products and spare parts.

20 Thompson Road
East Windsor, CT 06088

Tel: 1.800.249.5662
Fax: 860.623.4132
info@komaprecision.com

KOMA PRECISION
www.komaprecision.com